



AAG CATALOGUE

rectangular cord



AAG CATALOGUE


rectangular cord solid rubber



EPDM rectangular cord

hardness 45° Shore
 tolerances ISO 3302 E2
 quality EPDM
 colour black


code	A	B	roll length (m)
21800505	5	5	200
21820505 SIL white	5	5	200
21800603 NBR	6	3	100
21800606	6	6	200
21800808	8	8	100
21801010	10	10	100
21801210	12	10	50
21801212	12	12	50
21801510	15	10	50
21801515	15	15	50
21801818 NBR	18	18	50
21802012	20	12	50
21802020	20	20	50
21802520	25	20	25
21802525	25	25	25
21803002 CR	30	2.75	25
21803015	30	15	25
21829201 SIL	92	1,5	50
21810005 CR	100	5	50



Viton rectangular cord

hardness 75° Shore
 tolerances ISO 3302 E2
 temperature -40°C / +220°C
 quality Viton
 colour black

code	A	B
21860909	9	9
21861010	10	10
21861007	10	7
21861111	11	11
21861509	15	9
21862108	21	8



AAG CATALOGUE

rectangular cord sponge rubber



EPDM rectangular cord

hardness 15° Shore A
tolerances ISO 3302 E3
quality EPDM
colour black

code	A	B	roll length (m)	colour
22800505	5	5	100	black
22800804	8	4	100	black
22800808	8	8	100	black
22801003	10	3	100	black
22801005	10	5	100	black
22801006	10	6	100	black
22801010	10	10	50	black
22841010	10	10	100	grey
22801212	12	12	50	black
22801503	15	3	100	black
22801505	15	5	50	black
22801510	15	10	50	black
22841510	15	10	50	grey
22801515	15	15	50	black
22801803	18	3	100	black
22802002	20	2	100	black
22802003	20	3	150	black
22802004	20	4	100	black
22802005	20	5	25	black
22802009	20	9	25	black
22802010	20	10	25	black
22842010	20	10	50	grey
22802012	20	12	25	black
22802015	20	15	25	black
22802020	20	20	25	black
22802505	25	5	100	black
22802508	25	8	50	black
22802510	25	10	25	black
22802515	25	15	25	black
22802520	25	20	25	black
22802525	25	25	25	black
22803003	30	3	50	black
22803004	30	4	50	black
22803005	30	5	50	black
22803008	30	8	50	black
22803010	30	10	25	black
22843010	30	10	25	grey
22803012	30	12	25	black
22803015	30	15	25	black
22803020	30	20	25	black
22803025	30	25	25	black
22803030	30	30	25	black



AAG CATALOGUE


rectangular cord sponge rubber



EPDM rectangular cord

hardness 15° Shore A
tolerances ISO 3302 E3
quality EPDM
colour black

code	A	B	roll length (m)
22803510	35	10	25
22803512	35	12	25
22803515	35	15	25
22803520	35	20	25
22803525	35	25	25
22803530	35	30	15
22803535	35	35	15
22804003	40	3	50
22804005	40	5	50
22804010	40	10	25
22804012	40	12	25
22804015	40	15	25
22804020	40	20	25
22804025	40	25	25
22804030	40	30	15
22804035	40	35	15
22804040	40	40	10
22804515	45	15	25
22804520	45	20	25
22804525	45	25	15
22804530	45	30	15
22805003	50	3	50
22805004	50	4	50
22805005	50	5	50
22805010	50	10	25
22805015	50	15	25
22805020	50	20	25
22805025	50	25	15
22805030	50	30	15
22805050	50	50	10
22806015	60	15	15



22814520
EPDM 15° Shore
roll length 25 meter

AAG CATALOGUE

rectangular cord sponge rubber



EPDM rectangular cord

hardness 25° Shore A
tolerances ISO 3302 E3
quality EPDM
colour black

code	A	B	roll length (m)
22901010	10	10	50
22901208	12	8	50
22901212	12	12	50
22901510	15	10	50
22901515	15	15	50
22902005	20	5	50
22902010	20	10	50
22902015	20	15	25
22902020	20	20	25
22902510	25	10	25
22902512	25	12	25
22902515	25	15	25
22902520	25	20	25
22902525	25	25	25
22903010	30	10	25
22903015	30	15	25
22903020	30	20	25
22903025	30	25	25
22903030	30	30	25
22903510	35	10	25
22903512	35	12	25
22903515	35	15	25
22903520	35	20	25
22903525	35	25	25
22903530	35	30	25
22903535	35	35	15



AAG CATALOGUE


rectangular cord sponge rubber



EPDM rectangular cord

hardness 25° Shore A
tolerances ISO 3302 E3
quality EPDM
colour black

code	A	B	roll length (m)
22904010	40	10	25
22904015	40	15	25
22904020	40	20	25
22904025	40	25	25
22904030	40	30	25
22904040	40	40	10
22904515	45	15	25
22904520	45	20	25
22904525	45	25	25
22904530	45	30	15
22905010	50	10	25
22905015	50	15	25
22905020	50	20	25
22905025	50	25	25
22905030	50	30	15
22905040	50	40	10
22905050	50	50	10
22906020	60	20	25
22906040	60	40	10



EPDM rectangular cord

hardness 20° Shore A
tolerances ISO 3302 E3
quality EPDM
colour black

code	A	B	roll length (m)
22805732	57	32	10
22807040	70	40	10
22808040	80	40	10
22808080	80	80	10
22809450	94	50	10
22810050	100	50	10

